


**DO NOT SCALE  
IF IN DOUBT ASK**

**Window Details**



Window Type 1  
925mm x 1125mm  
White UPVC  
Double Glazed  
K Glass  
Trickle Vents  
Restrictor Stays  
Lockable Handles  
VA = 0.8m<sup>2</sup>

Basin Sizes	400mm Wide
Disabled Sanitaryware Heights/Sizes	To Part M Of The Building Regulations
Kitchen Sink/Worktop Height	920mm (Adult)
Plastisol Steel Vermin Skirt (Max 600mm High)	Extra Over
Internal Partitioning To Give A Weighted Sound Reduction Of 45dB (Estimated). Partitioning Constructed From Timber Studding Lined With Megadeco.	
Fire Resistance Of External Walls (In To Out)	One Hour
Internal Lining Of Perimeter Walls	Plasterboard
Roof Type	Steel
Fascia Type	Standard (500mm Deep)
Ceiling Type	Fixed
<b>Ceiling Height</b>	<b>2500mm</b>
<b>FFL From Top Of Foundations</b>	<b>325mm</b>
Uniformly Distributed Floor Load	3kN/m <sup>2</sup>
<b>Additional Notes</b>	
Vinyl Floor Covering Throughout.	
All Internal Door Locks To Be Suited To One Master Key.	
Vertical Window Blinds To All Windows Apart From Store Window (16No).	
Sit On Skirting To Consulting, Examination & Treatment Rooms. Standard Plastic Trunking To All Other Areas.	

**NOTES:**  
All dimensions must be checked on site and not scaled from this drawing  
SQM AREA = 129 SQM  
SQFT AREA = 1387 SQFT

- Fire Safety Signs**
- S12 - Fire Action Notice
  - S13 - Fire Door Keep Shut
  - S14 - Fire Door Keep Locked
  - S20 - Fire Exit Keep Clear
  - S22 - Fire Exit
  - S25 - Push Bar/Pad To Open
- Means Of Escape**
- ← ← ← Final Exit

REV DATE REVISIONS



Catfoss Lane, Brandesburton, Driffield, East Yorkshire, YO25 8EJ  
Telephone : 01964 544344 Fax : 01964 542141  
E-mail : sales@foremansbuildings.co.uk  
Web : http://www.foremansbuildings.co.uk

CLIENT

JOB TITLE

**6 Bays Of Portakabin Duplex Modular Building 24Ft x 10Ft Bays**

DRAWING TITLE

**Production Layout Plan**

SCALE  
**1 = 50**

DATE **14/09/2007** DRAWN BY **R.COUSINS**

DRAWING NO **Health 003-1** REV

Original Drawing Size A2

